



Health and safety guide

CO-CN-01/A (PPE I.) Texmax 2 layer cotton face mask

Use: The product is (PPE I.) (Personal-Protective-Equipment PPE) grade. The product is adequate for the 2016/425/EU requirements. **The EU adequacy statement can be seen at www.texmax.hu and www.contactnkft.hu.**

Warning: The product is flammable. When performing first aid, remove mask.

Storage:

Store in a cool place. Avoid direct sunlight. Can be stored for max 1 year before use.

Producer:

Name: Texmax – Contact Nkft.

Registered seat: H-5000 Szolnok, Tószegi út 43

Mailing address: H-5000 Szolnok, Tószegi út 43

Name of representative: VARGA Tamás

Company registration number: 16-09-010753

Tax number: 21456891-2-16

EU VAT number: HU21456891

Financial institution maintaining the account: OTP BANK

Account number: 11745004-20135544

IBAN: HU43 11745004-20135544-00000000

SWIFT: OTPVHUHB

Email address: contact@contactnkft.hu

Telephone number: +36-20-458-4226

Features:

Can be washed at 90°C

Must be washed in a washing bag

Chemical cleaning may be used

Can be dried in a dryer

Can be ironed at 240°C

Can be used multiple times

Materials: healthcare-grade textile (100% cotton), thread, rubber

The mask can be shaped to the form of the nose using the built in wire

Produced in Hungary

How to use:

How to put on face mask:

The mask must be washed at 90°C before use

Clean your hands with soap and water or hand sanitizer before touching the mask

Make sure there are no obvious tears or holes in either side of the mask

Determine which side of the mask is the top

Determine which side of the mask is the front

Hold the mask by the ear loops. Place a loop around each ear

Mold or pinch the stiff edge to the shape of your nose

How to remove face mask:

Clean your hands with soap and water or hand sanitizer before touching the mask

Avoid touching the front of the mask as the front of the mask is contaminated

Only touch the ear loops

Hold both of the ear loops and gently lift and remove the mask

Clean your hands with soap and water or hand sanitizer

The mask must be washed at 90°C after use

The filters can not be washed. Before washing the mask, remove the filter.



PM2.5 Filter

Texmax face masks can be bought with the preparation for PM2.5 filters. These filters are available at the webshop and can be bought with the masks or separately. The PM2.5 filter purifies air, it filters out particles bigger than 2.5 microns like smog and pollution. These are the particles that can make you cough and sneeze in bad polluted city air. The filter does not let these particles into your lung. The PM2.5 filter uses an activated carbon filtration system so in time it fills with particles. The PM2.5 filters must be changed in the masks after 40 hours of use. The filters can not be washed. Before washing the mask, remove the filter.



Health and safety guide

CO-CN-01/A (PPE I.) Texmax 2 layer cotton face mask

Use: The product is (PPE I.) (Personal-Protective-Equipment PPE) grade. The product is adequate for the 2016/425/EU requirements. **The EU adequacy statement can be seen at www.texmax.hu and www.contactnkft.hu.**

Warning: The product is flammable. When performing first aid, remove mask.

Storage:

Store in a cool place. Avoid direct sunlight. Can be stored for max 1 year before use.

Producer:

Name: Texmax – Contact Nkft.

Registered seat: H-5000 Szolnok, Tószegi út 43

Mailing address: H-5000 Szolnok, Tószegi út 43

Name of representative: VARGA Tamás

Company registration number: 16-09-010753

Tax number: 21456891-2-16

EU VAT number: HU21456891

Financial institution maintaining the account: OTP BANK

Account number: 11745004-20135544

IBAN: HU43 11745004-20135544-00000000

SWIFT: OTPVHUHB

Email address: contact@contactnkft.hu

Telephone number: +36-20-458-4226

Features:

Can be washed at 60°C

Must be washed in a washing bag

Chemical cleaning can not be used

Can not be dried in a dryer

Can be ironed at 150°C

Can be used multiple times

Materials: healthcare-grade textile (100% cotton), polyester, thread, rubber

The mask can be shaped to the form of the nose using the built in wire

Produced in Hungary

How to use:

How to put on face mask:

The mask must be washed at 60°C before use

Clean your hands with soap and water or hand sanitizer before touching the mask

Make sure there are no obvious tears or holes in either side of the mask

Determine which side of the mask is the top

Determine which side of the mask is the front

Hold the mask by the ear loops. Place a loop around each ear

Mold or pinch the stiff edge to the shape of your nose

How to remove face mask:

Clean your hands with soap and water or hand sanitizer before touching the mask

Avoid touching the front of the mask as the front of the mask is contaminated

Only touch the ear loops

Hold both of the ear loops and gently lift and remove the mask

Clean your hands with soap and water or hand sanitizer

The mask must be washed at 60°C after use

The filters can not be washed. Before washing the mask, remove the filter.



PM2.5 Filter

Texmax face masks can be bought with the preparation for PM2.5 filters. These filters are available at the webshop and can be bought with the masks or separately. The PM2.5 filter purifies air, it filters out particles bigger than 2.5 microns like smog and pollution. These are the particles that can make you cough and sneeze in bad polluted city air. The filter does not let these particles into your lung. The PM2.5 filter uses an activated carbon filtration system so in time it fills with particles. The PM2.5 filters must be changed in the masks after 40 hours of use. The filters can not be washed. Before washing the mask, remove the filter.